



CAUTIONARY NOTE REGARDING FORWARD-LOOKING STATEMENTS



This presentation does not constitute or form a part of, and should not be construed as an offer, solicitation or invitation to subscribe for, underwrite or otherwise acquire, any securities of Meridian Mining UK Societas ("Meridian"), nor shall it or any part of it form the basis of or be relied on in connection with any contract or commitment whatsoever.

Readers are directed to the public disclosure of Meridian available under Meridian's profile on the System for Electronic Document Analysis and Retrieval ("SEDAR+") at www.sedarplus.ca Information contained in this presentation was believed to be accurate at the time it was posted, but may be superseded by more recent public disclosure of Meridian. Meridian makes no representations or warranties as to the accuracy, reliability, completeness or timeliness of the information in this presentation.

Certain statements contained in this presentation may constitute "forward-looking information" within the meaning of applicable securities laws. Forward-looking information generally can be identified by words such as "anticipate", "expect", "estimate", "forecast", "planned", and similar expressions suggesting future outcomes or events. Forward-looking information is based on current expectations of management; however, it is subject to known and unknown risks, uncertainties and other factors that may cause actual results to differ materially from the forward-looking information in this presentation and include without limitation, the Company's ability to realize the results of the Cabacal gold-copper-silver deposit (the "Cabacal Project") preliminary feasibility study (the "2025 Cabacal PFS"); the anticipated timing for production; that start-up schedule will be fulfilled; that anticipated funding will be available; all upside potential anticipated for the Cabacal Project; that the anticipated mitigation approaches will have the anticipated results; the results of the 2025 Cabacal PFS, including, but not limited to, the anticipated post-tax NPV and IRR at the Cabacal Project, the anticipated average annual production and cash flow, the anticipated Cabacal Project start date, the probability of the additional opportunities to be able to convert more resource into reserves, the process plant gold recovery estimates, the anticipated number of people that will be employed to restart the Cabacal Project, the anticipated development and management of the Cabaçal tailings, the remaining expenditure requirements, the projected sustaining capital requirements, the key assumptions, parameters and methods used to estimate the mineral resource and mineral reserve estimates relating to the 2025 Cabacal PFS, the operational and economic results of the 2025 Cabacal PFS, including grade or quality of mineral deposits, and the LOM projections and estimates, timing and successful completion of the feasibility study, the timing and successful completion of the first resource estimate for Santa Helena and the Company's future expectations, objectives and plans. Readers are cautioned not to place undue reliance on forward-looking information.

Forward-looking information involve numerous risks and uncertainties, and actual results might differ materially from results suggested in any forward-looking information. These risks and uncertainties include, among other things, market volatility; the state of the financial markets for the Company's securities; fluctuations in commodity prices; changes in the Company's business plans. Forward-looking information is based on a number of key expectations and assumptions, including without limitation, the timing of the markets; the accuracy and reliability of technical data, forecasts, estimates and studies, including the 2025 Cabacal PFS; estimates of mineral resources and mineral reserves; anticipated costs and expenditures; future results of operations; ability to satisfy power infrastructure; availability and ability to procure personnel, machinery, supplies, and equipment from local sources where possible; the characteristics of the Cabacal Project; delays in operations due to permit grants; environmental and safety risks; the relationship between the Company and the local communities and its business partners; ability to operate in a safe and effective manner; the success of exploration, development and processing activities; that the Company will continue with its stated business objectives and its ability to raise additional capital to proceed. Although management of the Company has attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking information, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such forward-looking information will prove to be accurate, as actual results and future events could differ materially from those anticipated in such forward-looking information. Accordingly, readers should not place undue reliance on forward-looking information. Readers are cautioned that reliance on such information may not be appropriate for other purposes. Additional information about risks and uncertainties are disclosed under the heading "Risk Factors" in Meridian's most recent Annual Information Form which is available for download under Meridian's profile on SEDAR+ at www.sedarplus.ca.

The forward-looking information contained herein is expressly qualified in its entirety by this cautionary statement. Forward-looking information reflects management's current beliefs and is based on information currently available to Meridian. The forward-looking information reflects management's current beliefs and is based on information currently available to Meridian. The forward-looking information reflects management's current beliefs and is based on information currently available to Meridian. The forward-looking information reflects management's current beliefs and is based on information currently available to Meridian. The forward-looking information reflects management's current beliefs and is based on information currently available to Meridian. The forward-looking information reflects management is a support of the forward-looking information currently available to Meridian. looking information is made as of the date of this presentation and Meridian assumes no obligation to update or revise such information to reflect new events or circumstances, except as may be required by applicable law. For more information on Meridian, investors should review Meridian's continuous disclosure filings that are available on SEDAR+ at www.sedarplus.ca

FUTURE ORIENTED FINANCIAL INFORMATION

To the extent any forward-looking information in this presentation constitutes "future-oriented financial information" or "financial outlooks" within the meaning of applicable Canadian securities laws, such information is being provided to demonstrate the anticipated market penetration and the reader is cautioned that this information may not be appropriate for any other purpose and the reader should not place undue reliance on such future-oriented financial information and financial outlooks. Future oriented-financial information and financial outlooks, as with forward-looking information generally, are, without limitation, based on the assumptions and subject to the risks set out above under the heading "Forward Looking Statements", Meridian's actual financial position and results of operations may differ materially from management's current expectations and, as a result, Meridian's revenue and expenses may differ materially from the revenue and expenses profiles provided in this presentation. Such information is presented for illustrative purposes only and may not be an indication of Meridian's actual financial position or results of operations.

MARKET RESEARCH AND PUBLIC DATA

This presentation contains or references certain market, industry and peer group data which is based upon information from independent industry publications, market research, analyst reports and surveys and other publicly available sources. Although Meridian believes these sources to be generally reliable, such information is subject to interpretation and cannot be verified with complete certainty due to limits on the availability and reliability of raw data, the voluntary nature of the data gathering process and other inherent limitations and uncertainties. Meridian has not independently verified any of the data from third party sources referred to in this presentation and accordingly, the accuracy and completeness of such data is not guaranteed. This presentation is confidential and is being provided to you solely for your information and may not be reproduced, in whole or in part, in any form or forwarded or further distributed to any other person. Any forwarding, distribution or reproduction of this document in whole or in part is unauthorized. By accepting and reviewing this presentation, you acknowledge and agree (i) to maintain the confidentiality of this document and the information contained herein. (ii) to protect such information in the same manner you protect your own confidential information, which shall be at least a reasonable standard of care and (iii) to not utilize any of the information contained herein except to assist with your evaluation of Meridian.

The 2025 Cabacal PFS has an effective date of March 10, 2025, and was prepared for Meridian by the following independent Qualified Persons, as such term is defined by National Instrument 43-101 - Standards of Disclosure for Mineral Projects ("NI 43-101"): Tommaso Roberto Raponi (P. Eng.), Principal Metallurgist with Ausenco Engineering Canada ULC: Scott Elfen (P. E.). Global Lead Geotechnical and Civil Services with Ausenco Engineering Canada ULC: John Anthony McCartney, C.Geol., Ausenco Chile Ltda.: Porfirio Cabaleiro Rodriguez (Engineer Geologist FAIG), of GE21 Consultoria Mineral: Leonardo Soares (PGeo, MAIG), Senior Geological Consultant of GE21 Consultoria Mineral: Norman Lotter (Mineral Processing Engineer; P.Eng.), of Flowsheets Metallurgical Consulting Inc.; and, Juliano Felix de Lima (Engineer Geologist MAIG), of GE21 Consultoria Mineral.

Mr Erich Margues, B.Sc., FAIG, Chief Geologist of Meridian and a Qualified Person as defined by NI 43-101, has reviewed the 2025 Cabacal PFS on behalf of Meridian and is responsible for other technical information in this presentation (information not directly related to the 2025 Cabaçal PFS).

The 2025 Cabacal PFS is summarized in a technical report which is available on the Company's website at www.meridianmining.co and available for download under Meridian's profile on SEDAR+ at www.sedarplus.ca





DEVELOPING AN EXCEPTIONAL PROJECT

PRODUCTION EXECUTION


- Fully financed to decision to mine at Cabaçal
- Low initial capex USD 248 million
- USD 1.97 billion NPV₅ at spot pricing
- Mid-tier production profile
- **Executable project with potential for** significant re-rating
- In-house execution team engaged
- **Preliminary Licence approved**

GROWTH POTENTIAL

- Santa Helena potential open pit target
- On-going drill program

EXPLORATION UPSIDE

- 50km of discovery potential at Cabaçal
- Multiple new targets defined
- **CAD 10 million exploration budget**































	POST-TAX NPV ₅ (USDM) AND IRR (%) SENSITIVITY TO METALS PRICES																	
				Gold Price														
							Ва	ise									Sp	oot
			1,5	500	2,0	000	2,1	119	2,5	500	3,0	000	3,	500	3,7	750	4,0	000
			NPV	IRR	NPV	IRR	NPV	IRR	NPV	IRR	NPV	IRR	NPV	IRR	NPV	IRR	NPV	IRR
		3.50	578	42.2%	795	53.5%	847	56.1%	1,012	64.1%	1,229	74.0%	1,446	83.6%	1,560	88.5%	1,663	92.7%
Φ		4.00	682	46.7%	899	57.5%	950	60.0%	1,116	67.7%	1,333	77.4%	1,549	86.8%	1,663	91.6%	1,766	95.7%
Price	Base	4.16	715	48.0%	932	58.7%	984	61.2%	1,149	68.9%	1,366	78.5%	1,582	87.8%	1,696	92.6%	1,799	96.6%
		4.50	785	50.8%	1,002	61.3%	1,054	63.7%	1,219	71.2%	1,436	80.7%	1,653	89.9%	1,766	94.7%	1,870	98.6%
Copper	Spot	5.00	889	54.8%	1,106	65.0%	1,157	67.3%	1,323	74.7%	1,539	83.9%	1,756	92.9%	1,870	97.6%	1,973	101.5%
		5.50	992	58.6%	1,209	68.5%	1,261	70.8%	1,426	78.0%	1,643	87.1%	1,860	95.9%	1,973	100.5%	2,076	104.3%
		6.00	1,096	62.3%	1,312	71.9%	1,364	74.2%	1,529	81.2%	1,746	90.1%	1,963	98.8%	2,077	103.4%	2,180	107.1%

Capex: USD 248 M

Production: 141,000 oz AuEq

Production: 71 Million Ibs CuEq

Production: 32,500 t CuEq

Base NPV₅/Capex: 3.97x

Spot NPV₅/Capex: 7.96x

AISC: USD 742 / oz AuEq

AISC: USD 1.46 / Ibs CuEq

AISC: USD 3,211 / t CuEq

Base Payback: 17 Months

Spot Payback: 10 Months

LOM Base Revenue: USD 3.05 B

Gold Revenue: 50.1%

Copper Revenue: 49.3%

BENCHMARKING PFS VS BRAZILIAN PEERS




Description	Units	Cabaçal*	Tocantinzinho	Castelo de Sonhos**	Monte do Carmo	Mara Rosa	Borborema	Matupa	Tucuma***
Project Metrics	Date	04 March 2025	09 February 2022	05 May 2025	15 December 2023	31 December 2021	30 August 2023	05 October 2022	31 August 2021
Mine Life	(years)	10.6	10.5	11.0	9.0	10.0	11.3	7.0	12.0
Pre-Strip	(Mt)	10.3	9.7	0.0	16.0	4.1	7.2	2.2	13.2
Strip Ratio	(x)	2.3	3.4	9.0	7.8	4.4	3.3	1.7	3.7
Average Au Grade	(g/t)	1.16 (AuEq)	1.31	1.10	1.62	1.18	1.20	1.05	0.83% (Cu)
P80 Grind Size	(µm)	200	125	105	106	53	106	125	106
Bond Work Index	(kWh/t)	11.2	18.2	13.50	17.5	13.0	11.9	15.5	15.8
Abrasion Index	(g)	0.28	0.57	0.37	0.49	0.34	0.12	0.31	0.42
Processing Time	(hours)	<1.5	36	36	24	36	30	24	<1.5
Process	()	Crush	Crush	Crush	Crush	Crush	Crush	Crush	Crush
100000		Grind	Grind	Grind	Grind	Grind	Grind	Grind	Grind
		Gravity	Gravity	Gravity	Gravity	Gravity	Gravity	Gravity	Float
		Float	Float	CIL	Float	CIL	CIL	CIL	rtoat
		riuai	CIL	CIL	CIL	CIL	CIL	CIL	
		Au - 87.6% / Cu -	CIL		CIL				
Recovery	(%)	92.3%	Au - 90.9%	Au - 98.0%	Au - 95.3%	Au - 89.9%	Au - 92.1%	Au - 95.0%	Cu - 91.3%
Throughput	(Mt per annum)	2.5	4.7	3.6	1.9	2.5	2.0	1.3	4.0
Production	(Au oz/annum)	141,000 (AuEq)	174,700	121,000	95,212	80,000	65,000	41,889	27,000 (Cu t)
Exchange Rate	(BRL:USD)	5.99	5.20	5.75	5.00	5.05	4.93	5.20	5.00
CAPITAL COST									
Mine	(USDm)	30.1	41.1	0.0	20.3	9.3	28.0	13.5	83.2
Fleet	(USDm)	Contractor	59.1	37.3	29.7	Contractor	Contractor	Contractor	Contractor
Process Plant	(USDm)	98.9	86.0	187.2	71.8	112.9	86.3	38.9	67.0
Infrastructure	(USDm)	33.7	59.6	11.2	14.3	56.4	20.3	20.5	88.0
Power	(USDm)	5.7	56.2	10.8	11.2	13.8	23.0	13.9	4.0
Direct Cost	(USDm)	168.4	302.0	246.5	147.3	192.4	157.5	86.8	242.1
ndirect	(USDm)	14.0	84.9	5.20	12.1	8.9	16.4	4.2	18.6
EPCM	(USDm)	15.8	15.7	19.25	_	_	10.3	4.8	16.0
Owner's Costs	(USDm)	8.4	17.0	10.50	6.2	18.4	2.4	4.0	14.8
Contingency	(USDm)	41.3	38.3	49.3	15.8	17.8	9.6	7.3	23.4
Contingency (%)	(USDm)	20.0%	9.1%	20.0%	9.5%	8.1%	5.2%	7.3%	8.0%
nitial Capital Cost	(USDm)	247.9	457.8	296.0	181.4	237.4	196.3	107.1	315.0
Sustaining & Expansion	(USDm)	110.0	82.9	41.7	81.0	63.4	18.7	14.9	196.0
Capital Costs Initial Capex /	-								
Fonne Throughput	(USD/t)	99.2	97.4	82.2	94.5	95.0	98.1	82.4	78.8
DPERATING COSTS									
Mining Cost	(USD/t mined)	2.8	2.4	2.0	2.0	2.0	2.4	1.5	2.1
Mining Cost	(USD/t milled)	8.5	9.5	20.1	13.7	10.0	12.3	3.8	9.5
Processing Costs	(USD/t milled)	9.5	8.8	11.1	10.6	10.9	13.5	15.4	7.7
3&A	(USD/t milled)	2.0	3.3	1.7	2.4	1.2	1.3	1.6	1.5
.OM Opex / Tonne	(USD/t milled)	20.1	23.7	32.9	29.8	23.1	27.1	22.7	18.6
All-in-Sustaining-Costs ("AISC")	(USD/oz)	742 (USD/oz AuEg)	681	1,111	687	682	867	762	1.81 (USD/lbs Cu)

N2E

PFS vs 2025 GOLD PROJECT ECONOMIC STUDIES^{1,2}

(Gold Price Range - USD 2,100 - USD 2,785 (1 September 2025))





3.4

3.6

3.8

4.5

5.8

19.0

0.92


Costa Fuego

Prieska

Costa Fuego

OPPORTUNITY TO RE-RATE IN LINE WITH PEERS






Votes:

See News Release 10th March 2025

Source CIBC Data, Market Data / Company Data

PFS - Cashflow & Production Metrics








CABAÇAL'S 2025 OPEN PIT RESERVE STATEMENT

Reserve			Average Vo	alue		Metal Conten	t
Classification	Mass	Au	Cu	Ag	Au	Cu	Ag
	Mt	g/t	%	g/t	k oz	kt	k oz
Proven	37.11	0.67	0.45	1.64	797	166	1,963
Probable	4.59	0.36	0.40	1.57	53	18	232
Proven & Probable	41.70	0.63	0.44	1.64	850	184	2,194

SIMPLE ORE FLOWSHEET WITH HIGH RECOVERIES & PAYABLES

87.6%




OTO QX MRRDF

N₂E

92.3%

EXECUTION OF A BUILDABLE AND SCALABLE PROJECT








"Cabaçal's engineering is not simply to build a plant, but a production hub for us to operate."

Vitor Belo
Chief Development Officer

UTILIZING EXISTING INFRASTRUCTURE





N₂E






- Positive local Stakeholder meeting completed
- 2 years of environmental baseline studies
- Technical Site Visit Completed



- Focus on execution to decision to mine
- Significant near-term milestones
- Unlocking over USD 1.5 B in value at Cabaçal






N2E

SANTA HELENA - POTENTIAL SECOND OPEN PIT*






N₂E


SANTA HELENA - POTENTIAL SECOND HUB*





TESTING EXPLORATION POTENTIAL ACROSS 3 GREENSTONE BELTS





- **Expanded** exploration budget **CAD 10 m**
- 3 x Parallel greenstone belts
- **Significant** land holding ~ 1,000 km²
- Historic exploration dataset
- **On-going** drilling and exploration program

CORPORATE INFORMATION



CORPORATE STRUCTURE¹

Shares Outstanding

Options

Fully Diluted

Share Price

Market Capitalization

Cash²

418.1 m

22.7 m

(CAD 0.35-1.10)

440.7 m


CAD 1.25

(7 Nov 2025)


CAD 522.6 m

CAD 65.3m

(7 Aug 2025)



OWNERSHIP STRUCTURE



BEACON



RAYMOND JAMES

SCP RESOURCE

STIFEL

Mike Curran

Stefan Ioannou

Craig Stanley

Brandon Gaspar

Cole McGill

MERIDIAN LEADERSHIP



BOARD OF DIRECTORS



BRUCE MCLEOD Independent Chair +30 years experience



GILBERT CLARK CEO & Director +25 years experience



ADRIAN MCARTHUR President & Director +25 years experience



JOHN SKINNER Independent Director +35 years experience



SUSANNE SESSELMANN Independent Director +30 years experience



DOUG FORD Independent Director +35 years experience



NEIL GREGSON Independent Director +30 years experience

MANAGEMENT TEAM



GILBERT CLARK
CEO & Director
+25 years experience



ADRIAN MCARTHUR President & Director +25 years experience



DAVID HALKYARD Interim CFO +20 years experience



MARTIN MCFARLANE SVP – Strategy & Projects +30 years experience



JAMES MCLUCAS SVP - Corp. Development +15 years experience



MARIANA BERMUDEZ Company Secretary +15 years experience



ELIANA MACIEL Corporate Controller +20 years experience

BRAZILIAN EXECUTION TEAM



VITOR BELO Chief Development Officer +30 years experience



THIAGO MARQUES SILVA
Project General Manager
+15 years experience



MARCELO AMORIM
Project Dev. Manager
+15 years experience



RÔMULO SOUTO Civil Engineer +25 years experience



ANTÔNIO OLIVEIRA Senior Mechanical Engineer +35 years experience



ERICH MARQUES Chief Geologist +15 years experience



ANTÔNIO ALMEIDA Senior geologist +40 years experience

BRAZILIAN MANAGEMENT, FINANCE & REGULATION



JOEL BRANDÃO Director of Brazil +40 years experience



ADRIANO MUNARETTI Procurement Manager +30 years experience



TELMA LIMA
Group Financial Controller
+25 years experience



FABBIO KOLAS Accountant +15 years experience



RODRIGO SALVI Inhouse Counsel +10 years experience



BÁRBARA SOUZA Enviro. Engineer +10 years experience



ORLÂNIA RATSKE Human Resources +10 years experience



RE-VALUATION & NEAR-TERM UPSIDE OPPORTUNITIES

PRODUCTION EXECUTION

- Fully financed to decision to mine at Cabaçal
- Low initial capex USD 248 million
- \triangle USD 1.97 billion NPV₅ at spot pricing
- Mid-tier production profile
- Executable project with potential for significant re-rating
- In-house execution team engaged
- Preliminary Licence approved

GROWTH POTENTIAL

- Santa Helena potential open pit target
- On-going drill program

EXPLORATION UPSIDE

- ≤ 50km of discovery potential at Cabaçal
- Multiple new targets defined
- CAD 10 million exploration budget

RE-RATING OPPORTUNITY

- **№** Fully funded for 12 months of catalysts
- Meridian P/NAV 0.27x (@ USD 3,100/oz)
- Peers trading − 0.39x P/NAV (@ USD 3,100/oz)
- Executable project with potential for significant re-rating



Notes: 1 See News Releases for further det





CLEAN INDUSTRIAL RENEWABLE ENERGY









REGIONAL HYDROELECTRIC GENERATION^{1,2}

Jaurú Cascade

235.9 MW

(6 Facilities)

Juba Cascade

139.4 MW

(4 Facilities)

GOVERNING ESG PHILOSOPHIES













CABAÇAL HISTORY

BP MINERALS

Development 1984-1986

Production 1986-1991



Acquisition 1989-2005



JOHN WAGHORN Geologist + 50 years experience



AFONSO FIGUEIREDO Geologist + 50 years experience

Discovery

1980-1984



ROCKY OSBORNE Geologist + 40 years experience



GILSON TEIXEIRA Geologist + 40 years experience

LEADING EXPERTISE IN METALLURGY & CONCENTRATES

PHILLIP

MACKEY



Metallurgist + 50 years experience MIKE OUNPUU **Geological Engineer** + 40 vears experience



noranda





CAPITAL MARKETS EXPERTISE



TOMMY HUMPHREYS Capital Markets + 15 years experience



N₂E

STRUCTURED PURCHASE AGREEMENT TO ACQUIRE A 100% BENEFICIAL INTEREST¹



Protects Meridian Shareholders Equity and provides Vendors an Interest Going Forward

Payments	Requirements	Vendor Payment (USD)	Vendor Payment (Shares)	Status
1	On signing	25,000	_	Complete
2	On completion of due diligence	275,000	_	Complete
3	1st phase drilling program, subject to statutory approvals & access agreements, with independent QP review	1,750,000	_	Complete
4	Completion of NI 43-101 resource estimation	_	1,000,000	Complete
5	Positive Feasibility Study	1,850,000	1,500,000 (or CAD 450,000 at election of vendors)	Pending
6	30 days after grant of Installation Permits (LI) by Mato Grosso State	2,250,000	2,000,000 (or CAD 600,000 at election of vendors)	Pending
7	45 days after Cabaçal mine construction finance has been secured	2,600,000	_	Pending
	Total Financial Consideration (USD)	8,750,000	4,500,000	

As Meridian advances Cabaçal its value increases, the investment risk decreases, and milestone related payments are made

PRODUCTION METRICS



Item		
Plant Feed Mined	Mt	41.7
Waste Mined	Mt	97.2
Total Mined	Mt	138.9
Mill Throughput (LOM Average)	Mt/annum	3.9
Total gold production	ounces	744,301
Total copper production	tonnes	169,647
Total silver production	ounces	1,328,514
Item		
Milled tonnes	Mt	41.7
Mill throughput	Mt/ annum	3.9
Strip Ratio	Waste: Mineralized Material	2.3
Average metallurgical recovery - Gold	%	87.6%
Average metallurgical recovery - Copper	%	92.3%
Average metallurgical recovery - Silver	%	60.5%

Item		Year 1-5	LOM
Average annual AuEq recovered	000 Ounces	178.2	141.0
LOM Gold Recovered (AuEq)	000 Ounces	891.1	1,495.4
LOM Gold payable (AuEq)	000 Ounces	859.8	1,439.5
Total Cash Cost	USD/oz	546.4	684.7
Sustaining capital	USD/oz	24.1	37.7
All in Sustaining Costs ("AISC")	USD/oz	570.5	742.3

CAPITAL COST BREAKDOWN



Cabaçal Initial Capital Costs				
Item	US\$mm			
Mining	30.08			
Process Plant	119.03			
Dry Stack tailings	9.35			
Off site infrastructure	9.96			
Total Directs	168.41			
Project Indirects	29.78			
Owner's Costs	8.42			
Total Indirects	38.20			
Contingency	41.32			
Project Total	247.93			

Cabaçal Expansion Capital Costs				
Item	US\$mm			
Process Plant	35.49			
Total Directs	35.49			
Project Indirects (Incl. Owner's costs)	10.95			
Total Indirects	10.95			
Contingency	9.29			
Project Total	55.73			

Cabaçal Sustaining Capital Costs				
Item	US\$mm			
Dry Stack Tailing Facility	19.01			
On site infrastructure / Dry Stack tailings	17.29			
Plant Sustaining	17.98			
Total Sustaining Capital	54.28			

OPERATING COST BREAKDOWN



Cabaçal Operating Costs Breakdown		
Item	USD/t milled	USD/oz
Mining Costs	8.52	246.92
Labour	1.31	37.83
Power	1.54	44.56
Reagents & Consumables	2.64	76.57
Maintenance	0.90	26.05
Water/sewage	0.00	0.05
Road maintenance	0.04	1.14
Laboratory	0.24	7.04
Dry stack	0.63	18.27
Concentrate Logistics	2.21	64.17
G&A	2.05	59.33
Total Operating Costs	20.09	581.94

PROJECT METRICS



Item		LOM
Plant Feed Mined	Mt	41.7
Waste Mined	Mt	97.2
Total Mined	Mt	138.9
Strip Ratio	Waste:Mineralized Ore	2.3
Milled tonnes	Mt	41.7
Mill Throughput	Mt/annum	2.5 then 4.5
	<u>. </u>	

	LOM
ounces	744,301
tonnes	169,647
ounces	1,328,514
%	87.6%
%	92.3%
%	60.5%
	tonnes ounces %

Item		LOM
Average annual gold production (AuEq)	000 Ounces	141.0
Recovered Gold (AuEq)	000 Ounces	1,495.4
Total Cash Cost	USD/oz AuEq	684.7
Sustaining capital	USD/oz AuEq	37.7
All in Sustaining Costs ("AISC")	USD/oz AuEq	742.3

PROJECT ECONOMICS



Item		Base	Case	Spot	Case
Life of mine	Years	10.6		10.6	
NPV ₅	USD million	984		1,411	
IRR	%	61%		80%	
Payback	Months	17		17 12	
Initial Capital Expenditure	USD million	248		248	
Expansion Capital Expenditure	USD million	56		56	
Sustaining Capital Expenditure	USD million	54		54	
Item		Average	Total	Average	Total
		Year 1-5	LOM	Year 1-5	LOM
Revenue	USD million	364	3,050	455	3,767
Operating Costs	USD million	77	838	77	838
Free cash (After Tax)	USD million	218	1,424	291	2,013

MINING SCHEDULE




	Mining Schedule					Low Grade Stockpile Balance			Plant Feed					
Year	ROM (Mt)	Au (g/t)	Ag (g/t)	Cu (%)	Waste (Mt)	Total Mov (Mt)	LG Stock (Mt)	Au (g/t)	Ag (g/t)	Cu (%)	Plant Feed (Mt)	Au (g/t)	Ag (g/t)	Cu (%)
Pre-Stripping	1.89	0.31	0.89	0.34	8.41	10.30	2.12	0.47	0.90	0.33				
1	4.93	1.16	1.61	0.46	7.57	12.50	4.33	0.62	1.14	0.36	2.50	1.45	1.89	0.54
2	4.61	0.53	2.21	0.53	8.29	12.90	6.43	0.41	1.07	0.32	2.50	0.99	3.29	0.78
3	3.57	0.85	1.99	0.53	8.67	12.24	7.50	0.38	1.06	0.32	2.50	1.12	2.41	0.63
4	3.51	1.15	2.01	0.54	8.45	11.96	6.52	0.20	0.87	0.27	4.50	1.25	2.07	0.57
5	3.82	0.56	1.76	0.50	9.17	13.00	5.84	0.16	0.76	0.23	4.50	0.56	1.77	0.52
6	2.93	0.51	1.46	0.43	8.71	11.64	4.27	0.15	0.71	0.22	4.50	0.39	1.26	0.37
7	3.49	0.38	1.70	0.42	8.80	12.29	3.26	0.16	0.72	0.22	4.50	0.33	1.47	0.37
8	4.42	0.38	1.67	0.40	8.26	12.68	3.18	0.19	0.83	0.25	4.50	0.35	1.58	0.38
9	4.50	0.54	1.20	0.37	10.16	14.66	3.18	0.35	1.03	0.31	4.50	0.43	1.06	0.32
10	4.02	0.39	1.13	0.28	10.75	14.77	2.70	0.28	0.92	0.28	4.50	0.43	1.19	0.30
11	-	-	-	-	-	-	-	-	-	-	2.70	0.28	0.92	0.28
	41.70	0.63	1.64	0.44	97.24	138.94	_				41.70	0.63	1.64	0.44

N2E

CABAÇAL MINE LAYOUT






Simple Mine and Plant Layout

Tailings
optimized for
Trucking
Distance


CABAÇAL PLANT LAYOUT






Two stage expansion plan with footings in place for 4.5mtpa production





PROCESS FLOWSHEET





SIMPLE PROCESS FLOWSHEET WITH HIGH RECOVERIES


- Jaw Crusher
- Primary Grind ~200 microns
- Gravity Circuit 30% Au
- First Cu Flotation
- Re-Grind ~30 microns
- Cleaner Circuit delivers high grade, high recovery, clean concentrate

ENGINEERED FOR EXPANSION

- **△ SAG Mill for 2.5mtpa**
- Ball Mill added for 4.5mtpa capacity
- Expanded Gravity and Floatation for 4.5 mtpa

EXPANDING THE COPPER POTENTIAL FROM ARCHIVES






Alvorada uncovered as Cabaçal **Belts's most** significant copper in stream anomaly

¹ See Meridian News Release 14th February 2023

REGIONAL EXPLORATION TARGETS¹





DISTRICT SCALE

- **№** 928 km² tenements
- Regional
 Exploration by
 BP Minerals
- Mistorical Cu-Au-Zn geochemical anomalies
- Potential extensions of VMS belt stratigraphy
- Jaurú & Araputanga Greenstone belts potential to repeat discovery success at Cabaçal

See News Releases: 20th June 2022, 5th Jan 2022 & 12th April 2021



VMS CLUSTERS HUB & SPOKE STRATEGY

- VMS deposits occur in clusters & tend to form ~4km spacings
- Deposit clusters ideal for Hub & Spoke development strategy


GIANT SCALE VMS

- Cabaçal Mine "Giant" (>30 Mt)
 VMS Deposit on standalone basis
- Top 4% Global VMS deposits by tonnage
- Cabaçal VMS Belt underexplored and under-developed compared to analogue camps

INTERGENERATIONAL PRODUCTION

- Many large VMS Deposits have over 50 year production history
- Cabaçal 6 years past production & 11 year projected LOM (PFS)³

VMS Belts - Low Capex - High Returns - Long Life



Notes: 1 See Meridian Announcements

Alteration

² Source: Akita University, Galley et al. (2007); Mercier-Langevin et al. (2007) S&P Global, Hudbay 2020


³ See Meridian Press Releases

POTENTIAL UPSIDE OF CABAÇAL TO GLOBAL VMS DEPOSITS



CABAÇAL VMS PROJECT ANALOGUES

- Cabaçal is a camp scale VMS project underexplored and under-developed compared to analogue camps
- Cabaçal has already one giant VMS deposit defined
- VMS deposits tend to form periodically, related to hydrothermal convection cells on the ocean floor at ~4km spacings
- Cabaçal's multiple targets are consistent with deposit clustering, with potential for blind repeats
- VMS deposits are well known for their base and precious metal production
- Cabaçal VMS district has many similarities to other VMS districts such as Flin Flon (Manitoba), and Matagami (Quebec)



A junior company acquiring ownership of a VMS belt on a camp scale is a rare opportunity

"We are excited about the potential for more ore discovery around Cabaçal and in the belt as a whole... In a Canadian context the Cabaçal belt would be a prime long-term target for VMS type mineralization, with strong competition for ground holdings." ³


Notes: ¹ Source: Akita University, Galley et al. (2007); Mercier-Langevin et al. (2007) S&P Global, Hudbay 2020 See Meridian Announcement of 26th August, 2020

² See News Release dated 26th September

3 Cabaçal-1 Mine Mato Grosso State, Brazil. Report by Dr Robert Mason and Mr. David Kerr. Queens University, Ontario, Canada

⁴ See News Release 26th September 2022





▲ FLIN FLON: FROM THE PROSPECTOR TO VTEM

THE TECHNICAL EVOLUTION

- First discovery identified through prospecting (David Collins Tom Creighton, 1914)
- Early mapping and geochemistry may identify hydrothermal centers.
 Economic mineralization not necessarily present at surface
- Cyclical nature of metal prices can influence sustained exploration effort
- Modern geophysical exploration methods have successfully expanded the discovery window, through surface and down-hole survey techniques
 - Improved analytical methods add increasingly sophisticated criteria for geochemical vectoring to mineralization
 - Geochemical methods are supplemented by alteration mapping, maximizing information from deeper drilling to map fluid pathways, and model the hydrothermal system in 3D

1 Source: Gilmore and Wood, 2012 / Hudbay **https://csegrecorder.com/articles/view/geophysical-exploran-beneath-the-phanerozoic-cover-of-the-flin-flon


ESPIGÃO IOCG TARGET



ESPIGÃO PROJECT

- Iron Oxide-Copper-Gold ("IOCG") type deposits host the giant Cu-Au mines of Brazil and some of the biggest Cu-Au mines internationally e.g. Salobo & Olympic Dam
- Espigão hosts the prospective geochemistry comparable to large-scale IOCG type deposits
- First gravity survey 2km centered stations and testing for scale Broad gravity anomalies defined





	Magnetic Anomaly	Magnetic Anomaly	Gravity Anomaly	Gravity Anomaly	
	Amplitude	Amplitude	Amplitude	Amplitude	
Units	nT	km	Mgal	Km	
Espigão Project	500	Open	15	Open	
Deposit					
Olympic Dam	1,400	8 km across	17	8 km across	
Wirrda Well	1,800	6 * 9 km	6	6 * 9 km	
Carapateena	200-300	1.5 * 1.0 km	2 - 2.5	2 * 2 km	
Prominent Hill	7,000	0.7 * 0.5 km	5	2.5 * 1 km	
Ernest Henry	7,000 – 10,000	1.2 * 0.7 km	2 - 3	1.2 * 0.7 km	
Eloise	1,100	0.75 * 0.25 km	1.0	1.0 * 0.5 km	

